

PETRO VE766



FULL PVC COATING ON JERSEY LINER GLOVE - LENGTH 62CM

Model VE766



Product specifications

Chemical PVC. PVC on cotton knitted lining gauge 13. Rough-textured hand. Length: 62 cm. Thickness: 1.30 mm.

Support: cotton.
Coating: PVC.
Thickness: 1,30 mm.

COLOUR

Blue

SIZE

08, 09, 10

Product Features and Benefits



Textured structure

Good grip of handled objects

PVC

Good resistance to abrasion
Material very resistant to oils, chemicals and petroleum derivatives

Length : 62 cm

Complete arm protection

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

3: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE B: Type B - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 3 chemicals at level 2 according to EN16523-1: 2015 (from 1 to 6).

.. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

J 2 > 30 mn: n-Heptane (J) CAS 142-85-5

K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

L 4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9



EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI .. BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



Item details

Item details	Bar code	COLOUR	SIZE		
VE766BL08	3295249196141	Blue	08	60	6
VE766BL09	3295249196158	Blue	09	60	6
VE766BL10	3295249196165	Blue	10	60	6