

DIAMOND V



"BASEBALL CAP" SHAPE SAFETY HELMET

Model DIAMOND5



Product specifications

ABS safety helmet. Innovative "baseball cap" shape to improve vision when looking up. Also tested for front back wearing, to reduce encumbrance. Polyamide cradle: 3 textile straps with 8 fixing points. Foam sweat band. Innovative button adjustment "colour to colour" for head size 53 to 63 cm. 2 possible positions of the headband (top/low) for a better comfort. Electrical insulation up to 1 000 V.A.C. or 1 500 V.D.C.

ABS.

Harness: Textile lining: polyamide. Sweat band: Polyester foam. Anchorage: HDPE. Headband: LDPE.

Performance -30°C and standard EN397:2012 effective from 03/2016 production batches.

COLOUR

White, Blue, Grey-Yellow, Yellow, Black, Orange, Red, Green

SIZE

Adjustable

Product Use - Risks



Heat



Electrical



Shock

Product Features and Benefits



Neon colours and silver band

To be better seen at your workstation



Also certified for reverse wearing

Maximum field of vision without visor



One-D Rotor ergonomic clamping system

One-handed adjustment with or without gloves



Very curved visor

Best field of view at height

The Iconic helmet in construction and industry with its unique design.

DELTA INNOVATION

Certifications and Standards



REGULATION (EU) 2016/425

EN397:2012 + A1:2012 Protective helmets for industry

MM: Molten metal spray

LD: Lateral deformation

-30°C +50°C: Use : Very low temperature - -30°C / +50°C

440 VAC: Electric insulation



EN50365:2002 Electrically insulating helmets for use on low voltage installations

CLASS 0: Electrically insulating helmets - Class 0

Item details

Item details	Bar code	COLOUR	SIZE		
DIAM5BCFL	3295249139551	White	Adjustable	20	-
DIAM5BLFL	3295249139599	Blue	Adjustable	20	-
DIAM5GRJAFL	3295249215804	Grey-Yellow	Adjustable	20	-
DIAM5JAFL	3295249139568	Yellow	Adjustable	20	-
DIAM5NO	3295249168827	Black	Adjustable	20	-
DIAM5ORFL	3295249139575	Orange	Adjustable	20	-
DIAM5ROFL	3295249139582	Red	Adjustable	20	-
DIAM5VEFL	3295249139605	Green	Adjustable	20	-